



Test Report

No. VNHL2606014847HG

Date: July 01, 2026

Page 1 of 2

CONG TY TNHH SX TM DV HOANG PHUC LAM

SO 18/6, DUONG TAN PHUOC KHANH 24, TO 6, KHU PHO KHANH LOI, PHUONG TAN KHANH,
THANH PHO HO CHI MINH, VIET NAM

The following sample(s) was/were submitted and identified by the client as:

SGS Job No. : VNHL2606014847HG

Sample Description : 5CM*15CM*12MM

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Sample Receiving Date : JUNE 16, 2026
Final Confirmed Date : JUNE 16, 2026
Testing Period : JUNE 16, 2026 TO JULY 01, 2026
Test Performed : PLEASE REFER TO THE RESULT SUMMARY.
Test Results : PLEASE REFER TO NEXT PAGE(S)
Result Summary :

Test Requested	Conclusion
Formaldehyde Emission	See Result

Signed for and on behalf of
SGS Vietnam LTD

Ung Thanh Van
Hardline SBU Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents [Terms and Conditions – Electronic Documents | SGS Vietnam](#).

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Report

No. VNHL2606014847HG

Date: July 01, 2026

Page 2 of 2

Test Result:

Formaldehyde Emission

Test Method: With reference to JIS A 1460:2021. Analysis was performed with UV/VIS Spectrometry.

Sample	Trial	S (cm ²)	Formaldehyde Emission (mg/L)	Reporting limit (mg/L)
Formaldehyde Emission	1	1782	ND	0.15
	2	1782		


Sample Description:

1 NATURAL LIGHT BROWN COMPOSITE WOOD (PLYWOOD) (12 MM)

Note: 1. mg/L = milligram(s) per liter
2. ND = Not Detected
3. S = Surface area of test piece (cm²)

Remark: This / these test(s) was / were accredited ISO 17025:2017 by VILAS.
The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

PHOTO OF SUBMITTED SAMPLE FOR TESTING



REPORT RESULTS REFER TO SUBMITTED SAMPLE(S) ONLY

***END OF THE REPORT ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents [Terms and Conditions – Electronic Documents | SGS Vietnam](#).

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No. VNHL2606014848HG

Date: July 01, 2026

Page 1 of 2

CONG TY TNHH SX TM DV HOANG PHUC LAM

SO 18/6, DUONG TAN PHUOC KHANH 24, TO 6, KHU PHO KHANH LOI, PHUONG TAN KHANH,
THANH PHO HO CHI MINH, VIET NAM

The following sample(s) was/were submitted and identified by the client as:

SGS Job No. : VNHL2606014848HG
Sample Description : 5CM*15CM*15MM

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Sample Receiving Date : JUNE 16, 2026
Final Confirmed Date : JUNE 16, 2026
Testing Period : JUNE 16, 2026 TO JULY 01, 2026
Test Performed : PLEASE REFER TO THE RESULT SUMMARY.
Test Results : PLEASE REFER TO NEXT PAGE(S)
Result Summary :

Test Requested	Conclusion
Formaldehyde Emission	See Result

Signed for and on behalf of
SGS Vietnam LTD

Ung Thanh Van
Hardline SBU Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents [Terms and Conditions – Electronic Documents | SGS Vietnam](#).

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Report

No. VNHL2606014848HG

Date: July 01, 2026

Page 2 of 2

Test Result:

Formaldehyde Emission

Test Method: With reference to JIS A 1460:2021. Analysis was performed with UV/VIS Spectrometry.

Sample	Trial	S (cm ²)	Formaldehyde Emission (mg/L)	Reporting limit (mg/L)
Formaldehyde Emission	1	1890	ND	0.15
	2	1890		

Sample Description:

1 NATURAL LIGHT BROWN COMPOSITE WOOD (PLYWOOD) (15 MM)

Note: 1. mg/L = milligram(s) per liter
2. ND = Not Detected
3. S = Surface area of test piece (cm²)

Remark: This / these test(s) was / were accredited ISO 17025:2017 by VILAS.
The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

PHOTO OF SUBMITTED SAMPLE FOR TESTING



REPORT RESULTS REFER TO SUBMITTED SAMPLE(S) ONLY

***END OF THE REPORT ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents [Terms and Conditions – Electronic Documents | SGS Vietnam](#).

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No. VNHL2606014849HG

Date: July 01, 2026

Page 1 of 2

CONG TY TNHH SX TM DV HOANG PHUC LAM

SO 18/6, DUONG TAN PHUOC KHANH 24, TO 6, KHU PHO KHANH LOI, PHUONG TAN KHANH,
THANH PHO HO CHI MINH, VIET NAM

The following sample(s) was/were submitted and identified by the client as:

SGS Job No. : VNHL2606014849HG

Sample Description : 5CM*15CM*18MM

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Sample Receiving Date : JUNE 16, 2026
Final Confirmed Date : JUNE 16, 2026
Testing Period : JUNE 16, 2026 TO JULY 01, 2026
Test Performed : PLEASE REFER TO THE RESULT SUMMARY.
Test Results : PLEASE REFER TO NEXT PAGE(S)
Result Summary :

Test Requested	Conclusion
Formaldehyde Emission	See Result

Signed for and on behalf of
SGS Vietnam LTD

Ung Thanh Van
Hardline SBU Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents [Terms and Conditions – Electronic Documents | SGS Vietnam](#).

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Report

No. VNHL2606014849HG

Date: July 01, 2026

Page 2 of 2

Test Result:

Formaldehyde Emission

Test Method: With reference to JIS A 1460:2021. Analysis was performed with UV/VIS Spectrometry.

Sample	Trial	S (cm ²)	Formaldehyde Emission (mg/L)	Reporting limit (mg/L)
Formaldehyde Emission	1	1776	ND	0.15
	2	1776		

Sample Description:

1 NATURAL LIGHT BROWN COMPOSITE WOOD (PLYWOOD) (18 MM)

Note: 1. mg/L = milligram(s) per liter
2. ND = Not Detected
3. S = Surface area of test piece (cm²)

Remark: This / these test(s) was / were accredited ISO 17025:2017 by VILAS.
The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

PHOTO OF SUBMITTED SAMPLE FOR TESTING



REPORT RESULTS REFER TO SUBMITTED SAMPLE(S) ONLY

***END OF THE REPORT ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents [Terms and Conditions – Electronic Documents | SGS Vietnam](#).

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No. VNHL2606014850HG

Date: July 01, 2026

Page 1 of 2

CONG TY TNHH SX TM DV HOANG PHUC LAM

SO 18/6, DUONG TAN PHUOC KHANH 24, TO 6, KHU PHO KHANH LOI, PHUONG TAN KHANH,
THANH PHO HO CHI MINH, VIET NAM

The following sample(s) was/were submitted and identified by the client as:

SGS Job No. : VNHL2606014850HG

Sample Description : 5CM*15CM*21MM

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Sample Receiving Date : JUNE 16, 2026
Final Confirmed Date : JUNE 16, 2026
Testing Period : JUNE 16, 2026 TO JULY 01, 2026
Test Performed : PLEASE REFER TO THE RESULT SUMMARY.
Test Results : PLEASE REFER TO NEXT PAGE(S)
Result Summary :

Test Requested	Conclusion
Formaldehyde Emission	See Result

Signed for and on behalf of
SGS Vietnam LTD

Ung Thanh Van
Hardline SBU Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents [Terms and Conditions – Electronic Documents | SGS Vietnam](#).

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Report

No. VNHL2606014850HG

Date: July 01, 2026

Page 2 of 2

Test Result:

Formaldehyde Emission

Test Method: With reference to JIS A 1460:2021. Analysis was performed with UV/VIS Spectrometry.

Sample	Trial	S (cm ²)	Formaldehyde Emission (mg/L)	Reporting limit (mg/L)
Formaldehyde Emission	1	1872	ND	0.15
	2	1872		

Sample Description:

1 NATURAL LIGHT BROWN COMPOSITE WOOD (PLYWOOD) (21 MM)

Note: 1. mg/L = milligram(s) per liter
2. ND = Not Detected
3. S = Surface area of test piece (cm²)

Remark: This / these test(s) was / were accredited ISO 17025:2017 by VILAS.
The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

PHOTO OF SUBMITTED SAMPLE FOR TESTING



REPORT RESULTS REFER TO SUBMITTED SAMPLE(S) ONLY

***END OF THE REPORT ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en-vn/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents [Terms and Conditions – Electronic Documents | SGS Vietnam](#).

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS

Certificate No. VNEPA/2024/12/1001

The Manufacturer

KIM TIN MDF DONG PHU CORPORATION

Lot C1-C14, No. 1 Street, Nam Dong Phu Industrial Zone, Tan Lap Commune,
Dong Phu District, Binh Phuoc Province, Vietnam

for manufacturing of composite wood products listed below has been certified by
SGS Viet Nam Ltd. (TPC-45) as meeting 40 CFR 770.15, Title VI, Toxic Substances Control Act.

The Manufacturer demonstrates production of composite wood products listed below
complying with 40 CFR 770.10, Title VI, Toxic Substances Control Act.

Certified Composite Wood Product
Thin Medium Density Fiberboard
Medium Density Fiberboard

Certified Thickness Range
From 2.5mm to 8mm
From >8mm to 25mm

This certificate is for the composite wood products manufacturing at the production facility stated above.

The production facility meets the quality assurance requirements stated in 40 CFR 770.20-22,
40 CFR 770.24, 40 CFR 770.40 and 40 CFR 770.45, Title VI, Toxic Substances Control Act.

This certificate is valid only if subsequent verification is conducted and the manufacturer
continues to meet the requirements stated in 40 CFR 770.20-22, 40 CFR 770.24,
40 CFR 770.40 and 40 CFR 770.45, Title VI, Toxic Substances Control Act.

This manufacturer has been certified since 04 December 2024

This certificate (Issue 1) is issued on 04 December 2024 and valid until 04 December 2026

Authorised by

Lai

Sze Ming Daster Lai
Certification Manager
Product Certification Team

IAS has accredited this certification body (Registration Number PCA-138) under IAS for performing specific
product certification activities as listed in its scope of accreditation. This certificate is issued by
SGS Vietnam Limited - Product Certification under its terms of IAS accreditation.

SGS Vietnam Ltd.

Office: 198 Nguyen Thi Minh Khai Street, District 3, Ho Chi Minh City, Vietnam

Laboratory: Lot III/21, 19/5A Street, Industrial Group III, Tan Binh Industrial Zone, Tay Thanh Ward, Tan Phu District
Ho Chi Minh City, Vietnam

t +(84 28) 3816 0999 f +(84 28) 3816 0996 www.sgs.com

Page 1 of 1



This certificate is issued by the Company under its General Conditions for Certification Services available at <http://www.sgs.com/terms-and-conditions> and Terms and Conditions for BPA-TSCA Certification at www.sgs.com/bpa-tsc. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any advice or information contained herein reflects the Company's findings at the time of its issuance only and within the limits of Client's introduction, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from assessing all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is strictly prohibited and offenders may be prosecuted to the fullest extent of the law.

BPA-WF-25

04P Feb 2024